

## 「持続的森林利用オプションの評価と将来像」2002-03 業績集

### < 原著論文 >

- Agetsuma, N., Sugiura, H., Hill, D.A., Agetsuma-Yanagihara, Y., Tanaka, T. (2003) Population density and group composition of Japanese sika deer (*Cervus nippon yakushimae*) in ever-green broad leaved forest of Yakushima, southern Japan. *Ecological Research* 18:475-483.
- Aiba, S. and K. Kitayama (in press) Habitat associations with topography and canopy structure of tree species in a tropical montane forest on Mount Kinabalu, Borneo. *Plant Ecology*
- Chen, H.-w., Toda, M. J., Lakim, M. B. and Mohamed, M. B. (in press) Amiota (Amiota)sinuata species-group from eastern Malaysia (Diptera, Drosophilidae). *Sabah Parks Nature Journal*
- Hall, S., G. P. Asner, and K. Kitayama (in press) Substrate, climate, and land use controls over soil N dynamics and N-oxide emissions in Borneo. *Biogeochemistry*
- Harrison, R. D., Hamid, A.A., Kenta, T., LaFrankie, J., Lee, H-S. Nagamasu, H., Nakashizuka, T. and Palmiotto, P. (2003) The diversity of hemi-epiphytic figs (*Ficus*; Moraceae) in a Bornean lowland rain forest. *Biological Journal of Linnean Society* 78: 439-455.
- Ichikawa, M. (2003) Shifting swamp rice cultivation with broadcast seeding in Insular Southeast Asia: a survey of its distribution and the natural and social factors influencing its use. *Journal of Southeast Asian Studies*:41: 239-261.
- 市川昌広 (2003) サラワク州イバン村落の世帯にみる生業選択 *TROPICS* 12: 201-219.
- Inoue, T. (2003) Chronosequential change in a butterfly community after clear-cutting of deciduous forests in a cool temperate region of central Japan. *Entomological Science* 6: 151-163.
- Inoue, T. (in press) Butterfly fauna in and near the Ogawa Forest Reserve. *Bulletin of the Forestry and Forest Products research Institute*
- Ishii, H., Tanabe, S. and Hiura T. (in press) Exploring the relationships among canopy structure, stand productivity and biodiversity of temperate forest ecosystems. *Forest Science*

Itioka, T. and Yamauti, M. (in press) Severe drought, leafing phenology, leaf damage and lepidopteran abundance in the canopy of a Bornean aseasonal tropical rain forest. *Journal of Tropical Ecology*

金沢謙太郎 (2003) 热帯雨林と生態資源 神戸女学院大学人間科学研究科紀要 ヒューマンサイエンス 6: 62-63.

Kitayama, K., S. Aiba, M. Takyu, N. Majalap, and R. Wagai (in press) Soil phosphorus fractionation and phosphorus-use efficiency of a Bornean tropical montane rain forest during soil ageing with podozolization. *ECOSYSTEMS*

神谷大介・森野真理・萩原良巳・内藤正明 (2003) 屋久島における地域住民の生活の満足感と生息地保全に関する認識構造の分析 ランドスケープ研究 66: 775-778.

Kurokawa, H. Yoshida, T., Nakamura, T., Lai, J. and Nakashizuka, T. (2003) The age of tropical rain-forest canopy species, Borneo ironwood (*Eusideroxylon zwageri*), determined by  $^{14}\text{C}$  dating. *Journal of Tropical Ecology* 19:1-17.

正木 隆・杉田久志・金指達郎・長池卓男・太田敬之・櫃間 岳・酒井暁子・新井伸昌・市栄智明・上迫正人・神林友広・畠田 彩・松井 淳・沢田信一・中静 透 (2003) 東北地方のブナ林天然更新施業地の現状一二つの事例と生態プロセス 日本林学会誌 85: 259-264.

Momose, K. and Shimamura, T. (2002) Environments and people of Sumatran peat swamp forests I: distribution and typology of vegetation. *Southeast Asian Studies* 40: 72-84.

Momose, K. (2002) Environments and people of Sumatran peat swamp forests II: distribution of villages and interactions between people and forests. *Southeast Asian Studies* 40: 85-107.

Momose, K. (2002) Ecological factors of the recently expanding style of shifting cultivation in Southeast Asian subtropical areas: why fallow periods could be shortened? *Southeast Asian Studies* 40: 190-199.

Momose, K. (in press) Plant reproductive interval and population density in aseasonal tropics. *Ecological Research*

森野真理・萩原良巳・坂本麻衣子 (2003) 地域社会における生息地の保全インセンティブに関する分析 環境システム研究論文集 31: 9-17.

Murase, K., Itioka, T., Nomura, M. and Yamane, Sk.(2003) Intraspecific variation in the status of ant symbiosis on a myrmecophyte, *Macaranga bancana*, between primary and secondary forest in Borneo. *Population Ecology* 45: (in press).

Nagaike, T. and Hayashi, A. (2003) Bark-stripping by Sika deer (*Cervus nippon*) in *Larix kaempferi* plantations in central Japan. *Forest Ecology and Management* 175 563-572.

Nagaike, T., Kamitani, T., Nakashizuka, T. (2003) Plant species diversity in abandoned coppice forests in a temperate deciduous forest area of central Japan. *Plant Ecology* 166: 63-74.

Nagaike, T., Hayashi, A., Abe, M. and Arai, N. (2003) Differences in plant species diversity in *Larix kaempferi* plantations of different ages in central Japan. *Forest Ecology and Management* 183: 177-193.

Nakagawa, M., Itioka, T., Momose, K., Yumoto, T., Komai, F., Morimoto, K., Jordal, B.H., Kato, M., Kaliang, H., Hamid, A.A., Inoue, T. and Nakashizuka, T. (2003) Resource use of insect seed predators during general flowering and seeding events in a Bornean dipterocarp rainforest. *Bulletin of Entomological Research* 93:455-466.

中静透・斎藤宗勝・松井 淳・蒔田明史・神林友広・正木隆・長池卓男・杉田久志・金指達郎・関剛・太田敬之・櫃間岳・八木貴信・橋本徹・酒井暁子・壁谷大介・高田克彦・星崎和彦・丑丸敦史・阿部みどり・大場信太郎・福田貴文・新井伸昌・上迫正人, 田中健太・市栄智明・鈴木まほろ・乾陽子・中川弥智子・黒川紘子・藤森直美・鮫島弘光・畠田彩・堀真人・沢田信一 (2003)白神山地における異なった構造をもつブナ林の動態モニタリング 東北森林学会誌 8:67-74.

Nomiya, H., Suzuki, W., Kanazashi, T., Shibata, M., Tanaka, H. and Nakashizuka, T. (2003) The response of forest floor vegetation and tree regeneration to deer exclusion and disturbance in a riparian deciduous forest central Japan. *Plant Ecology* 164: 263-276.

Ozanne, C.M.P., Anhuf, D., Boulter, S.L., Keller, M., Kitching, R.L., Korner, C., Meinzer, F.C., Mitchell, A.W., Nakashizuka, T., Silve Dias, P.L., Stork, N. E., Wright, S.J. and Yoshimura, M. (2003) Biodiversity meets the atmosphere: a global view of forest canopies. *Science* 310:13-186.

Sakai, S. and Nagamasu, H. (In press) Systematic studies of Bornean Zingiberaceae IV. Alpinioideae of Lambir Hills, Sarawak. *Edinburgh Journal of Botany*

Sakai, S. and Nagamasu, H. (In press) A significant range extension for the monotypic Tamijioideae (Zingiberaceae). *Acta Phytotaxonomica et Geobotanica*.

Sakai, S. (2002): General flowering in lowland mixed dipterocarp forests of Southeast Asia. *Biological Journal of Linnean Society* 75: 233-248.

Sakai, S. (2002): A review of brood-site pollination mutualism: plants providing breeding site for their pollinators. *Journal of Plant Research* 115: 161-168.

Sato, J. (2003) Public Land for the People: Institutional Basis of Community Forestry in Thailand. *Journal of Southeast Asian Studies* 32:329-346.

佐藤仁 (2003) 開発研究における事例分析の意義と特徴 国際開発研究 12: 1-15.

Tanabe, S., Toda, M. J., Lakim, M. B. and Mohamed, M. B. (2002) Abundance, biomass, and composition of insect communities in various forests on Mt. Kinabalu. *Sabah Parks Nature Journal* 5:219-237.

Toda, M. J., Lakim, M. B. and Mohamed, M. B. (in press) The genus *Colocasiomyia* (Drosophilidae: Diptera) in Sabah: High species-diversity and utilization of host aroid inflorescences. *Sabah Parks Nature Journal*

戸田正憲 (2002) IBOY (国際生物多様性観測年) 昆虫と自然, 37: 24-27.

Takyu, M., S. Aiba, and K. Kitayama (2003) Changes in biomass, productivity and decomposition along topographical gradients under different geological conditions in tropical lower montane forests on Mount Kinabalu, Borneo. *OECOLOGIA* 134: 397-404.

Ushimaru, A., Fukui, A. and Imamura, A. (in press) Effect of floral organ sizes on female reproductive success in *Erythronium japonicum* (Liliaceae) *Journal of Plant Biology*

#### <著書>

半谷吾郎 (2002) 分布南限の島. 大井徹、増井憲一編著 「二ホンザルの自然誌」 第十三章 pp229-250. 東海大学出版会、東京.

Ichikawa, M. 2003. "One hundred years of land-use changes: Political, social, and economic influences on an Iban village in Bakong River basin, Sarawak, East Malaysia," in Tuck Po, L., De Jong, W., and Abe,K. (eds.). *The Political ecology of tropical forests in Southeast Asia: Historical Perspectives*. Kyoto University Press. 117-199.

Itioka, T., Kato, M., Kaliang, H., Merdeck, M. B., Nagamitsu, T., Sakai, S., Mohamad, S. U., Yamane, S., Hamid, A. A. and Inoue, T. (2003) Insect responses to general flowering in Sarawak. In Basset, Y., Novotny, V., Miller, S. E. and Kitching, R. L. (eds) Anthoropods of Tropical Forests Spatio-temporal Dynamics and Resource Use in the Canopy. 126-134. Cambridge University Press, Cambridge.

Kentaro Kanazawa (2003) 'Sabah and Sarawak States', Japan Environmental Council(ed.), The State of the Environment in Asia 2002/2003: p191-193.

Koike, F. and Nagamitsu, T. (2003) Canopy foliage structure and flight density of butterflies and birds in Sarawak In Basset, Y., Novotny, V., Miller, S. E. and Kitching, R. L. (eds) Anthoropods of Tropical Forests Spatio-temporal Dynamics and Resource Use in the Canopy. 86-91. Cambridge University Press, Cambridge.

Roubik, D. W., Sakai, S. and Gattesco, F. (2003) Canopy flowers and certainty: loose niches revisited. In: Y. Basset, V. Novotny, S. E. Miller and R. L. Kitching (eds.) Arthropods of tropical forests: spatio-temporal dynamics and resource use in the canopy. Cambridge University Press, Cambridge.

佐藤仁 (2002) 稀少資源のポリティクス：タイ農村にみる開発と環境のはざま 東京大学出版会

佐藤仁 (2002) ダン吉島の夢の後:発展途上国にみる不足と開発 岩波講座「アジア新世紀」『市場』Pp. 101-116. 岩波書店

佐藤仁 (2002) 問題を切り取る視点：環境問題とフレーミングの政治学 石弘之編, 環境学の技法 Pp. 41-75. 東京大学出版会

佐藤仁 (2003) 誰が何を管理するのか 鈴木和夫ほか編「森林の百科」、朝倉書店、東京

佐藤仁 (2003) 「貧困」「持続可能な開発」『キーワードで読みとく世界の紛争』Pp. 242-47. 河出書房

田中浩 (2003) 樹木の生活史 鈴木和夫ほか編「森林の百科」、朝倉書店、東京

田中浩 (2003) モニタリングの意義と実例 鈴木和夫ほか編「森林の百科」、朝倉書店、東京

Toda, M. J. and Kitching, R. L. (2002) Chapter 2: Forest ecosystems. In T. Nakashizuka and N. Stork (eds.), Biodiversity Research Methods, IBOY in Western Pacific and Asia. Pp. 27-110. Kyoto University Press, Kyoto & Trans Pacific Press, Melbourne.

<雑文>

鯨島弘光 (2003) ボルネオのオオミツバチ *Apis dorsata* F.と蜂蜜採集 热帯生態学会ニュースレター 第 51 号

半谷吾郎 (2003) レッドリストの生き物たち 4 「ヤクシマザル」 林業技術 733: 38-39.

中静透 (2003) 热帯林の生物多様性—林冠という知られざる世界 「生物多様性の世界」人と自然の共生というパラダイムを目指して 第17回「大学と科学」公開シンポジウム 講演収録集(株) クバプロ

佐藤仁 (2002) 資源・環境問題はなぜ放置されるのか」 科学 2002年8月号: 787-791.

佐藤仁 (2002) 資源管理の分権化を阻む「不足」意識 論座 2002年6月号:108-115.

末吉昌宏・前藤 薫・槇原寛・牧野俊一・祝輝男 (2003) 皆伐後の温帯落葉樹林の二次遷移に伴う双翅目昆虫群集の変化 森林総合研究所研究報告 2:171-191.